



**Model 01386.** Shown in Wild Cherry top with Black edge and Black frame. Shown with optional 3" casters, Model 17576. Shown with optional Flavors Adjustable Chairs.

## FLEXLINE™ COMPUTER STATIONS

### Single-Student and Two-Student work stations.

#### OVERVIEW

#### Designed with durability in mind for high-traffic classrooms.

Choose the Flex Station for easy ingress/egress for students, a strong, stable work surface and for its ingenious Wire Manager that keeps cabling stowed neatly out of sight. Features two handy backpack pegs. Choose from 11 standard laminate colors, 21 standard edge colors and two frame colors.

- Durable desktop is 1 1/4" thick with a high-pressure laminate surface.
- Edge moldings resist wear, choose Bumper T-Mold (standard) or 4mm T-Mold.
- For maximum stability, a 14-gauge steel mounting plate is welded to a Y-Leg made of 16-gauge steel tubing.
- Our patented backpack peg is on both the right and left leg, allowing backpacks to be hung under or outside the desk.
- Legs adjust from 24" to 32" high in 1" increments.



**Model 01383.** Shown in Grey Nebula top with Red edge and Platinum frame. Shown with optional CPU Holder, Model 17213.

## FlexLine™ Stations

MODEL	DESCRIPTION	D"	W"	H"	WT.	UPS
<b>24" deep models</b>						
01373	Flex Station w/ Tilt Down Wire Manager	24	30	24-32	65	*
01374	Flex Station w/ Tilt Down Wire Manager	24	36	24-32	68	*
01376	Flex Station w/ Tilt Down Wire Manager	24	48	24-32	88	*
01377	Flex Station w/ Tilt Down Wire Manager	24	60	24-32	96	
01378	Flex Station w/ Tilt Down Wire Manager	24	72	24-32	106	
<b>30" deep models</b>						
01383	Flex Station w/ Tilt Down Wire Manager	30	36	24-32	76	*
01384	Flex Station w/ Tilt Down Wire Manager	30	48	24-32	98	
01385	Flex Station w/ Tilt Down Wire Manager	30	30	24-32	70	
01386	Flex Station w/ Tilt Down Wire Manager	30	60	24-32	106	
01387	Flex Station w/ Tilt Down Wire Manager	30	72	24-32	120	
17221	Tie Plate for Flex Station				2	*



**Model 01379.** Shown in Maple top with Platinum edge and Platinum frame.

## FlexLine™ Corner Station

MODEL	DESCRIPTION	D"	W"	H"	WT.	UPS
01379	Corner Flex Station	34	58	24-32	85	

### Flex Stations Have Top and Edge Choices

#### 1 1/4" Tops



**CHOICE 1** - 1 1/4" top with Bumper T-Mold no letter to follow Model No.



**CHOICE 2** - 1 1/4" top with 4mm T-Mold **D** to follow Model No.



All Flex Stations come standard with modesty panel and wire manager.



Lockable end-cap/glide combination resists tampering.

## flexline™ computer station COLOR SELECTION

### FLEX STATION LAMINATE COLOR CHOICE

- Amber Cherry
- Blond Echo
- Golden Oak
- Grey Nebula
- Pewter Mesh
- Wild Cherry
- Asian Night
- Fusion Maple
- Grey Mesh
- New Age Oak
- Tan Echo

### FRAME COLOR CHOICE

- Black
- Platinum

### FLEX STATION EDGE COLOR CHOICE

- Apple
- Burgundy
- Charcoal
- Forest Green
- Mocha
- Persian Blue
- Red
- Black
- Cerulean
- Chocolate
- Fuchsia
- Navy
- Platinum
- White
- Blueberry
- Champagne
- Clementine
- Mint
- Orange
- Purple
- Yellow

## AddPower



Model 17081



Model 17084



Power Socket is durable and attaches securely to the work surface. Model 17060 with 15 ft. long cord.

MODEL	DESCRIPTION	D"	W"	H"	WT.	UPS	
17081	6 Outlet Electric Strip w/ Surge, 4' Cord	3	3	12	4	*	
17084	10 Outlet Electric Strip w/ Surge, 15' Cord	3	8	12	5	*	
17060	Power Socket (4 Power Plugs 2 Data Plugs), 15' Cord	3	10	7	4	*	
<b>Caster options</b>							
17576	3" Dual-Wheel Caster	Set of 4, 4 locking		3" dia.	3	5	*
17554	4" Dual-Wheel Caster Pack	Set of 4, 2 locking		4" dia.	4	5	*



All Flex Stations come standard with modesty panel and wire manager management.



Lockable end-cap/glide combination resists tampering.



### Make it mobile with casters

Order Model 17576  
\$ 76.00 List



## CPU Holder

Heavy steel plate mounts under work surface.  
Black steel tube frame with locks to hold tower in place.

MODEL	DESCRIPTION	D"	W"	H"	WT.	UPS
17213	CPU Holder	14 - 18.5	8.5 - 11.6	16.75 - 21.25	12	*
	• PC Dimensions	9.75 - 17.5	5.4 - .6	15.25 - .75		
17217	CPU Holder	14 - 18.75	8.5 - 9.2	13 - 17.25	10	*
	• PC Dimensions	9.5 - 17.4	3 - 7.25	9.4 - 13.5		



FOR MORE INFORMATION CALL 1-800-328-1061  
OR VISIT WWW.SMITHSYSTEM.COM

